




VDENEER STONE


INSPIRED BY NATURE, ENGINEERED BY MAN

Ledgestone collection
technical guide

July 2021




CHOOSE YOUR COLOUR



The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

LEDGESTONE



Ledgestone offers the look of dry stacked stone which gives timeless beauty to any application, whether it's your house facade, office feature wall, fireplace, poolside feature or general landscaping. Ledgestone's interlocking panel allows for user friendly installation with the most complex of designs.



Natural Grey



Slate



Sandstone

Sandstone-RNVS028



Earth


Earth-RNVS001



Limestone

The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

LEDGESTONE




Designed in Australia for Australia

With a wide spectrum of natural colours and textures to choose from our stone tiles have been designed based on Australian styles and traditional colours from SA Limestone to the Central Coast Sandstone and Victorian Bluestone.



The product colours in this booklet are as accurate as current photography & printing techniques allow. We suggest you look at actual samples for a better idea and selection.

LEDGESTONE




Order Multiples;


0.6m² per case

21.60m² per pallet

Average Thickness: 20mm-30mm



No need for prefabricated corners — All bodies interlock around corners



Limestone

Slate

Earth


Sandstone

Natural Grey

Travertine


Capping available to suit all colours - Size: 490-510mm x 295mm x 40mm

Sample installation pattern



Please note: all sizes printed are approximate and are subject to change. For current exact measurements please contact Head Office on 1300 984 572

DESIGN



UNPRECEDENTED STYLE

Contemporary & Classic

Our stunning collection of veneers are suitable for tiling over various internal and external surfaces. Both contemporary & classic designs coupled with superior craftsmanship come together to create the perfect solution for your stone walling with less impact on the environment.

ENDURING QUALITY

Perfected by nature

The harsh Australian climate only enhances the natural beauty of Veneer Stone. Unsealed, our stone simply gets better with age bringing the European look from years of weathering. To retain the fresh quarried look and enhance the natural colours seal the stone with a penetrating silicon based sealer.

Ledgestone Sandstone



Engineered by man


We carefully blend crushed sandstone with less than 1% natural colour pigments to create the distinctive look and relaxed feel of solid natural stone walling with a fraction of the weight. All products come in tile form and range from 20-43mm in thickness. Pre-fabricated corners and capping are available for all products and are highly recommended for use.

Estimating Stone Required


When calculating quantity required please add an extra 10% to allow for extra cuts and wastage.



BODIES: Calculate the total surface area by square metre



CORNERS: are not required with this collection due to the interlocking nature of the 'Z' shaped panels which interlock around corners making this collection one of the most cost effective products on the market.



RANDOM SHADE VARIATION

Extreme colour and texture variation will occur from piece to piece and within each batch for a random look. The look of the final installation will be unique. Please review the range of products before making your final selection.

APPLICATION

Suitable for interior and exterior walls, Veneer Stone can be installed around fireplaces, no closer than 250mm to a naked flame. Veneer Stone can also be installed around wet areas, however, continued exposure to chlorine and other chemicals may eventually affect the colouration of the products. When frequently exposed to water, we recommend protection with Ven Seal Ultra WB sealer.

Orders and Customer Support

Phone 02 4631 2997

Email: admin@veneerstone.com.au /
meg@veneerstone.com.au

Website: www.veneerstone.com.au

Facebook: <https://www.facebook.com/veneerstone/>

Instagram: <https://www.instagram.com/veneerstoneaustralia/>

NSW Plant Address: 15 Technology Drive Appin NSW

SA Warehouse: Gepps Cross, Adelaide, SA

VIC Warehouse, Dandenong Melbourne. VIC

QLD Depot, Rocklea, Brisbane QLD

Approximate Weight per m²

Bodies

Ledgestone Range 50kg